home pure

Internorm

KF 310 UPVC/ALUMINIUM WINDOW



PROPERTIES

Thermal insulation	U_w as low as 0.69 W/(m²K)
Sound reduction	up to 45 dB
Security	RC1N, RC2
Locking	concealed
Construction depth	74 mm

I-tec Glazing

Internorm AR

Experience KF 310 interactively now with Augmented Reality







KF 310

This sleek new window features the proven and reliable technology of all our Internorm windows. It is characterised by the best thermal insulation and sound reduction values, as well as all round bonding of the glass pane with the window sash. KF 310 is available in a large selection of colours, handles and glazing, as well as a balcony and patio door and now also as a French balcony. The square-edged exterior design of the frame and sash matches the design style home pure.

UPVC/ALUMINIUM WINDOW

KF 310

home pure

Sections

Vertical



Horizontal



Flying mullion



Values

Glass setup	Glass Code	Spacer	Coating	Ug	g	Uf	Psi	Uw	Thermal certificate	Rw	C	Ctr	Sound certificate
4/16Ar/b4	20L	Iso	light	1.1	65%	1.2	0.038	1.2	YES	33	-2	-6	YES
		Alu	light	1.1	65%	1.2	0.065	1.3	YES	33	-2	-6	YES
8/12Kr/b4	2KA	Iso	light	1.0	63%	1.2	0.038	1.1	YES	37			no
		Alu	light	1.0	63%	1.2	0.065	1.2	YES	37			no
4b/18Ar/4/18Ar/b4	3N2	Iso	light	0.5	54%	1.1	0.034	0.76	YES	34	-2	-6	YES
			SolarXPlus	0.5	60%	1.1	0.034	0.76	YES	34	-2	-6	YES
		Alu	light	0.5	54%	1.1	0.075	0.86	YES	34	-2	-6	YES
			SolarXPlus	0.5	60%	1.1	0.075	0.86	YES	34	-2	-6	YES
6b/18Ar/4/16Ar/b4	33U	Iso	light	0.5	54%	1.1	0.034	0.76	YES	39	-2	-6	YES
			SolarXPlus	0.5	59%	1.1	0.034	0.76	YES	39	-2	-6	YES
		Alu	light	0.5	54%	1.1	0.075	0.86	YES	39	-2	-6	YES
			SolarXPlus	0.5	59%	1.1	0.075	0.86	YES	39	-2	-6	YES
44b.2(VSG-S)/15Ar/4/12Ar/ b44.2(VSG-S)	3FH	Iso	light	0.7	50%	1.1	0.034	0.90	YES	45	-2	-6	YES
			SolarXPlus	0.7	55%	1.1	0.034	0.90	YES	45	-2	-6	YES
		Alu	light	0.7	50%	1.1	0.075	1.0	YES	45	-2	-6	YES
			SolarXPlus	0.7	55%	1.1	0.075	1.0	YES	45	-2	-6	YES

Internorm Window UK
Unit D, Colindale Business Park
2-10 Carlisle Road, NW9 0HN, London
Tel.: +44 (0) 208 205 9991

Email: office@internorm.co.uk

3/2018

www.internorm.com